

PROFESSIONAL SPEAKER SYSTEMS



May 2010
MI - Dealer

Evolution in technology, Revolution in sound

Active and passive speakers for live sound reinforcement and stage monitoring as well as distributed sound systems for clubs and music venues.

Product	Code	Description	Colour	List Price Ex.VAT						
ART 310A	13000059	ACTIVE TWO-WAY SPEAKER	Anthracite Grey	£449.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 10inch	1inch Neo	127dB	50Hz-20kHz	90° x70°	1.8kHz	300 W	50 W	XLR	12.4kg
AC ART310 H-BR	13360042	HORIZONTAL BRACKET FOR ART310	Black	£77.00						
ART COVER 310	13360044	COVER FOR ART310	Grey	£44.00						
ART 312A MK2	13000221	ACTIVE TWO-WAY SPEAKER	Anthracite Grey	£478.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch	1inch Neo	127dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	50 W	XLR	19kg
ART315A MK2	13000224	ACTIVE TWO-WAY SPEAKER	Anthracite Grey	£573.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 15inch	1inch Neo	128dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	50 W	XLR	20kg
ART V-BR	13360010	VERTICAL BRACKET FOR ART 312, 315, 322, 325	Black	£77.00						
ART H-BR	13360011	HORIZONTAL BRACKET FOR ART 312, 315, 322, 325	Black	£77.00						
ART COVER 312	13360043	COVER FOR ART 312, 315, 322, 325,	Grey	£46.00						

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

ART 3 Series PASSIVE

Product	Code	Description	Colour	List Price Ex.VAT						
ART 310	13000075	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£334.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 10inch	1inch Neo	124dB	50Hz-20kHz	90° x70°	1.8kHz	200 W	SPEAKON	8 ohm	10kg
AC ART310 H-BR	13360042	HORIZONTAL BRACKET FOR ART310	Black	£77.00						
ART COVER 310	13360044	COVER FOR ART310	Grey	£44.00						
ART 312	13000031	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£430.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 12inch	1inch Neo	126dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	SPEAKON	8 ohm	16kg
ART315	13000023	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£478.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 15inch	1inch Neo	128dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	SPEAKON	8 ohm	20kg
ART V-BR	13360010	VERTICAL BRACKET FOR ART 312, 315	Black	£77.00						
ART H-BR	13360011	HORIZONTAL BRACKET FOR ART 312, 315	Black	£77.00						
ART COVER 312	13360043	COVER FOR ART 312, 315	Grey	£46.00						

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

AMPLIFIERS

ART 3 Series amplifiers are based around 300 Watt for the low frequencies and 50 Watt for the high Bi-Amplified monolithic modules. The input board of ART 312-A, 315-A, models provide XLR and Jack balanced inputs, XLR output link, Mic/Line selectable input. ART 310-A input board features XLR inputs and outputs and volume control. Each amplifier is set-up to optimize the performance in conjunction to the specific transducers in each model.

All ART Series speakers reproduce incredible transparent and accurate high frequencies thanks to RCF pure titanium diaphragms and proprietary high-pressure oxygen free moulding technology.

CABINETS

When in 1996 we moved into the forefront of active speakers technology with the ART Series, we put into this speakers the results of years of experience in plastic cabinet designs, setting a new standard for portable active loudspeakers.

The bass reflex cabinets of the ART Series are moulded in a special polypropylene composite material, which provides superior stiffness for the weight and excellent low frequency damping. Each cabinet is equipped with ergonomically designed handles on each side and a comfortable top handle for easy manoeuvrability in every situation.

Four M10 threaded inserts are provided for optional mounting hardware for installed sound applications and each cabinet has a built in pole mount adaptor.



ART 4 Series ACTIVE DIGITAL POWERED



Product	Code	Description	Colour	List Price Ex.VAT						
ART 408-A	13000207	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£526.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	8inch Neo	1inch Neo	126dB	65Hz-20kHz	90° x70°	1.8kHz	300 W	100 W	COMBO	11kg
ART 410-A	13000209	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£573.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	10inch Neo	1inch Neo	127dB	50Hz-20kHz	90° x70°	1.8kHz	300 W	100 W	COMBO	11.2kg
AC ART710H-BR	13360103	PAIR - HORIZONTAL BRACKET FOR ART410A	Black	£147.00						
ART COVER 710	13360113	COVER FOR ART410A	Black	£62.00						
ART 412-A	13000211	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£669.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	12inch Neo	1inch Neo	127dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	100 W	COMBO	17.2kg
AC ART712H-BR	13360104	PAIR - HORIZONTAL BRACKET FOR ART412A & 222A	Black	£151.00						
ART COVER 722	13360114	COVER FOR ART412A & 422A	Black	£72.00						
ART 415-A	13000213	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£717.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	15inch Neo	1inch Neo	128dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	100 W	COMBO	18.2kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART415A & 425A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART415A & 425A	Black	£77.00						
ART 422-A	13000215	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£765.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	12inch Neo	2inch Neo	128dB	45Hz-20kHz	90° x60°	1.3kHz	300 W	100 W	COMBO	18kg
AC ART712H-BR	13360104	PAIR - HORIZONTAL BRACKET FOR ART412A & 422A	Black	£151.00						
ART COVER 722	13360114	COVER FOR ART412A & 422A	Black	£72.00						
ART 425-A	13000217	ACTIVE TWO-WAY SPEAKER DIGITAL	Anthracite Grey	£861.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	Input	Weight
	15inch Neo	2inch Neo	129dB	45Hz-20kHz	90° x60°	1.3kHz	300 W	100 W	COMBO	18.2kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART415A & 425A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART415A & 425A	Black	£77.00						

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

ART 4 SERIES

The ART 4 Series is the new addition to the world famous ART series portable speakers from RCF that combine the legendary audio quality and toughness of the ART 3 Series with the latest digital Digipro amplification technology developed for the ART 7 Series.

The new speakers are equipped with a powerful DSP which manages crossover, Eq., soft limiter, compressor and dynamic boost bass. All models of the ART 4 Series feature two special equalisation presets: Extended Frequency Response, which slightly emphasizes the bass response for playback music and low volume applications;

The look of the ART 4 Series mirrors the functionality and aggressive design of the ART 7 Series, whilst the newly designed 400 W digital amplifiers (300 W for the low frequencies and 100 for the compression driver) coupled with the unique RCF transducers technology make the ART 4 Series a cutting edge product, suitable for any portable sound reinforcement applications.

ART 7 Series Passive Loudspeaker



Product	Code	Description	Colour	List Price Ex.VAT						
ART 725	13000219	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£813.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	Imp	In/Out	Weight
	1 x 15inch	2inch	133dB	55Hz-20kHz	90° x60°	1.4kHz	700 W	8 ohm	Speakon	19kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART715A & 725A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART715A & 725A	Black	£77.00						

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010



ART 7 Series Designed for musicians



A multi purpose active speakers range representing the finest example of digital audio design, that offers the best audio choice for a multitude of live sound applications.

Product	Code	Description	Colour	List Price Ex.VAT						
ART 708A	13000196	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £699.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 8inch Neo	1inch Neo	128dB	65Hz-20kHz	90° x70°	1.8kHz	500 W	250 W	XLR	11kg
ART 710A	13000144	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £799.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 10inch	1inch Neo	129dB	50Hz-20kHz	90° x70°	1.7kHz	500 W	250 W	XLR	11.2kg
AC ART710H-BR	13360103	PAIR - HORIZONTAL BRACKET FOR ART710A	Black	£147.00						
ART COVER 710	13360113	COVER FOR ART710	Black	£62.00						
ART 712A	13000145	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £902.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch	1inch Neo	129dB	50Hz-20kHz	90° x60°	1.7kHz	500 W	250 W	XLR	17.2kg
AC ART712H-BR	13360104	PAIR - HORIZONTAL BRACKET FOR ART712A & 722A	Black	£151.00						
ART COVER 722	13360114	COVER FOR ART712A & 722A	Black	£72.00						
ART 715A	13000147	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £999.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 15inch	1inch Neo	130dB	50Hz-20kHz	90° x60°	1.7kHz	500 W	250 W	XLR	18.2kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART715A & 725A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART715A & 725A	Black	£77.00						
ART 722A	13000146	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £1148.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch	2inch Neo	130dB	45Hz-20kHz	90° x60°	1.2kHz	500 W	250 W	XLR	18kg
AC ART712H-BR	13360104	PAIR - HORIZONTAL BRACKET FOR ART712A & 722A	Black	£151.00						
ART COVER 722	13360114	COVER FOR ART712A & 722A	Black	£72.00						
ART 725A	13000148	ACTIVE TWO-WAY SPEAKER	DIGITAL	Anthracite Grey £1243.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 15inch	2inch Neo	131dB	45Hz-20kHz	90° x60°	1.2kHz	500 W	250 W	XLR	19.4kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART715A & 725A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART715A & 725A	Black	£77.00						
ART 902AS	13000149	ACTIVE - BANDPASS SUBWOOFER	DIGITAL	Black £1148.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Cross. Freq.	LF Power	HF Power	In/Out	Weight	
	1 x 12inch	N/A	130dB	45Hz- Xover point	80/120Hz	1000 W	N/A	XLR	29.6kg	
ART COVER 902-AS	13000116	COVER FOR ART902AS	Black	£97.00						
ART 905AS	13000150	ACTIVE - BANDPASS SUBWOOFER	DIGITAL	Black £1186.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Cross. Freq.	LF Power	HF Power	In/Out	Weight	
	1 x 15inch	N/A	131dB	45Hz- Xover point	80/120Hz	1000 W	N/A	XLR	34kg	
ART COVER 905-AS	13360117	COVER FOR ART905AS	Black	£103.00						

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

Amplifiers

All Art 7 Series two-way speakers are equipped with a new generation of 750 Watt Digital Amplifiers, 500 Watt for the woofers and 250 Watt for the compression drivers. The result of this is very high output, extremely low distortion and an incredible natural sound. Each amplifier has both XLR/jack (Combo) balanced inputs, XLR output link, volume and a switchable EQ Mode (Flat/Boost). The amplifier features a solid mechanical aluminium structure which not only stabilizes the amplifier during transportation but also assists in heat dissipation.

Components

All the transducers in the Art 7 Series speakers feature light weight neodymium magnets in order to guarantee a better performance and make for easier transportation. All Compression drivers and Transducers are precision built taking advantage of RCF's superior moulding, assembly technologies and a wealth of professional knowledge and experience dedicated to achieving extremely high standards.

Evolution in technology, Revolution in sound



4PRO SERIES

Since its introduction into the market, the 4PRO Series has become the standard for professionals, bands and musicians, clubs and live concert venues that want compact, high performance loudspeakers. 4PRO looks and works great stacked, on poles, or flown using the integrated rigging points on the top and bottom.

Product	Code	Description	Colour	List Price Ex.VAT
4PRO 3003A	13000153	ACTIVE TWO-WAY SPEAKER - Digital bi-amplified	Black	£1435.00
	LF Driver	HF Driver	Max. SPL	Freq. Response
	1 x 15inch Neo	1inch Neo	131dB	45Hz-20kHz
			90° x40°	1.7kHz
			500 W	250 W
			XLR	33kg
4PRO 4003A	13000154	ACTIVE TWO-WAY SPEAKER - Digital bi-amplified	Black	£1722.00
	LF Driver	HF Driver	Max. SPL	Freq. Response
	2 x 15inch Neo	1inch Neo	132dB	50Hz-20kHz
			90° x40°	1.8kHz
			500 W	250 W
			XLR	46kg
4PRO 6001A	13000007	ACTIVE THREE-WAY SPEAKER	Black	£2284.00
	LF Driver	Mid / HF	Max. SPL	Freq. Response
	2 x 12inch Neo	1in-8in Neo	134dB	50Hz-20kHz
			80° x60°	360Hz - 2KHz
			600 W	300 - 50 W
			XLR	55kg
4PRO 8003AS	13000152	ACTIVE - SUBWOOFER - Digital amplifier		£1435.00
	LF Driver	HF Driver	Max. SPL	Freq. Response
	1 x 18inch	N/A	134dB	40Hz- Xover point
				80/100/120Hz
			1000 W	N/A
			XLR	49kg
4PRO 8001S	13000020	PASSIVE - SUBWOOFER	Black	£903.00
	LF Driver	HF Driver	Max. SPL	Freq. Response
	1 x 18inch	N/A	134dB	40Hz- Xover point
				120Hz
			1000 W	8 Ohm
			Speakon	50kg
AC KP-8001	13360026	2 x WHEELBOARD PANELS FOR 4PRO 8001S	Black	£176.00
AC KP-6001	13360027	2 x WHEELBOARD PANELS FOR 4PRO 6001A	Black	£77.00
AC WK-FX	13360028	4 x FIXED WHEEL SET FOR KP705	N/A	£43.00
AC WK-SW	13360029	4 x SWIVEL WHEEL SET FOR KP705	N/A	£59.00
AC EB4X	13360031	KIT 4PCS M10 EYEBOLTS	N/A	£35.00
AC DS-4X	13360030	KIT 4PCS DOUBLE STUDS FOR FLY TRACK	N/A	£109.00
AC SS260	13360035	STEEL SPEAKER FLOOR STAND (MAX 60Kg)	NA	£81.00
AC SS140	13360036	ALU,MINIUM SPEAKER FLOOR STAND (MAX 40Kg)	NA	£71.00
AC PMA	13360034	SPEAKER POLE MOUNT	N/A	£30.00

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

CABINETS

All 4PRO cabinets are made in Baltic Birch, heavy duty painted with textured black epoxy paint.

4PRO 3003-A and 4003-A cabinets are coated with ultra strong vinyl while top and bottom endcaps are moulded in high-density compact polystyrene.

All models are equipped with professional handles for best handling and transportation.

4PRO 6001-A and 7001-A are equipped with fly track hardware.

The 4PRO8001S Passive subwoofer can be used with any of the Passive ART 3 series speakers whilst the 4PRO8001AS/8002AS/8003AS are a superb combination when used with any of the active ART 3 series.

AMPLIFIERS

All the 4PRO models are designed using the vast technical and practical experience that we possess in the active loudspeaker technology.

Each amplifier has a specific input board and set-up to optimise the performance to match the specific transducers in each model.

The rear panel is equipped with XLR/Jack (Combo) balanced inputs, XLR output link, protected gain control and Powercon or VDE Mains Input.

The subwoofer's amplifier offers mono/stereo inputs, protected gain control, low pass filters, mono/stereo crossover outputs, crossover frequency selection switch and phase control switch.

Pro experience, 4PRO sound

SUB Series Designed for use with any RCF PRO series speaker

Product	Code	Description	Colour	List Price Ex.VAT
SUB 705-AS	13000229	ACTIVE BAND PASS SUBWOOFER	Black	£956.00
	LF Driver	Max. SPL	Freq. Response	Cross. Freq.
	1 x 15inch NEO	130dB	45Hz-Xover point	80/120Hz
				700 W
			XLR	32.2kg
SUB 718-AS	13000226	ACTIVE BAND PASS SUBWOOFER	Black	£1148.00
	LF Driver	Max. SPL	Freq. Response	Cross. Freq.
	1 x 18inch NEO	132dB	45Hz-Xover point	80/120Hz
				700 W
			XLR	40.4kg

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010



The NX Series is a line of active loudspeakers specifically designed to be the everyday tools for rental companies and professional musicians. Six models comprise the NX range: a line array module, three two-way monitors suitable both for PA systems and monitoring applications and two subwoofers.



Product	Code	Description	Colour	List Price Ex.VAT						
NX 10 SMA	13000233	ACTIVE COAXIAL 10 STAGE MONITOR	Black	TBC						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	10inch Neo	1inch Neo	127dB	65Hz-20kHz	80° x80°	1.7kHz	300 W	100 W	XLR	14.5kg
NX 12 SMA	13000235	ACTIVE COAXIAL 12 STAGE MONITOR	Black	TBC						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch Neo	1inch Neo	129dB	50Hz-20kHz	80° x80°	1.7kHz	500 W	200 W	XLR	16.5kg
NX M10A	13000183	ACTIVE 2 WAY MONITOR	Black	£1052.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 10inch Neo	1inch Neo	129dB	50Hz-20kHz	90° x70°	1.7kHz	500 W	250 W	XLR	15.2kg
NX M12A	13000155	ACTIVE 2 WAY MONITOR	Black	£1243.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch Neo	1inch Neo	130dB	50Hz-20kHz	90° x40°	1.7kHz	500 W	250 W	XLR	21.2kg
AC PRO12 V-BR	13360107	WALL/FLYING BRACKET ADJUSTABLE INCLINATION	Black	£229.00						
NX M15A	13000156	ACTIVE 2 WAY MONITOR	Black	£1339.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 15inch Neo	1inch Neo	132dB	50Hz-20kHz	90° x40°	1.7kHz	500 W	250 W	XLR	23.8kg
AC PRO15 V-BR	13360108	WALL/FLYING BRACKET ADJUSTABLE INCLINATION	Black	£266.00						
NX L23A	13000157	ACTIVE LINE ARRAY MODULE	Black	£2488.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Horiz -Vert	Cross. Freq.	LF Power	HF Power	In/Out	Weight
	1 x 12inch	3 x 1inch Neo	133dB	60Hz-20kHz	100° x15°	1.3kHz	500 W	250 W	XLR	28.5kg
AC STACKING	13360097	STACKING OPTION FOR FLYBAR NXL23		£195.00						
FLY BAR NXL23A	13360098	FLYBAR SUSPENSION FOR NXL23		£854.00						
AC 4PIN TTL31	13360077	4 QUICK LOCK PINS FOR TTL31 & NXL23		£182.00						
AC RAIN COVER	13060144	RAIN COVER FOR NXL23A		TBC						
NX S25A	13000173	ACTIVE HIGH POWER SUBWOOFER	Black	£2488.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Cross. Freq.	LF Power	HF Power	In/Out	Weight	
	2 x 15inch Neo	N/A	136dB	40Hz-120Hz	80 - 110Hz	1000 W	N/A	XLR	60.5kg	
NX S21A	13000171	ACTIVE HIGH POWER SUBWOOFER	Black	£2488.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Cross. Freq.	LF Power	HF Power	In/Out	Weight	
	2 x 21inch Neo	N/A	135dB	30Hz-80Hz	60 - 80Hz	1000 W	N/A	XLR	53.2kg	

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

AMPLIFIERS

All of the NX, line array and 2-way speakers, are equipped with a newly designed DIGIPRO professional digital amplifier. Class D advanced technology, with an integrated heat-sink for best thermal dissipation. The unique PFC digital power supply is designed to offer a full voltage supply from any type of plug available. The power provided in the two way speaker amplifiers is , 500 W for the woofers and 250 W for the compression drivers – delivering a very high output, extremely low distortion and incredibly natural sound.

The NX S25-A and S21-A include a high output 1000 W digital amplifier, developed to match the transducers in each model, the result is a perfectly optimized loudspeaker series, which provides high-end audio coverage even at extreme sound pressure levels, unmatched reliability and acoustic compatibility across the whole series. All amplifiers include soft peak limiter, thermal and RMS protection.

Touring audio solutions

TRANSDUCERS

Our legendary transducer technology coupled with premium digital amplifiers has been used in the NX Series. All the loudspeakers and subwoofer feature light weight neodymium magnets in order to guarantee a better performance and make for easier transportation. The NX S21-A includes a newly designed 21" low frequency professional transducer which delivers superb bass dept and power.

CABINET

All cabinets are made with Baltic Birch and painted in a heavy duty finish to withstand life on the road and offer a wide range of practical mounting hardware, such as rubber coated aluminium handgrips and fly track inserts, to cover all aspects of system integration, which assist in the overall simple and effortless system set-up. The reflex porting has been resized to offer a better efficiency and reduced distortion.



Mytho Reference Monitors



Product	Code	Description	List Price Ex.VAT
MYTHO 6	13000194	ACTIVE TWO-WAY 6.5inch DSP MONITORING SYSTEM	£814.00
	LF Driver	HF Driver	Max. SPL
	6.5inch NEO	1inch Neo	114dB
		Freq. Response	40Hz-20kHz
		Dispersion	100° x70°
		Cross. Freq.	1.9kHz
		LF Power	200 W
		HF Power	100 W
		Input	COMBO
		Weight	10.5kg
MYTHO 8	13000195	ACTIVE TWO-WAY 8inch DSP MONITORING SYSTEM	£909.00
	LF Driver	HF Driver	Max. SPL
	8inch NEO	1inch Neo	116dB
		Freq. Response	35Hz-20kHz
		Dispersion	100° x70°
		Cross. Freq.	1.8kHz
		LF Power	200 W
		HF Power	100 W
		Input	COMBO
		Weight	13kg

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

Professional Power Amplifiers

A complete range of High Current and Extended Dynamic power amplifiers for passive speakers for installed sound reinforcement systems in clubs or live venues.

Product	Code	Description	Colour	List Price Ex.VAT
ED600	12135027	STEREO POWER AMPLIFIER 230+230W 4 OHM		£516.00
ED1100	12135028	STEREO POWER AMPLIFIER 530+530W 4 OHM		£612.00
HPS1500	12135055	CLASS H PROFESSIONAL AMPLIFIER 2 x 750W RMS 4 OHM		£526.00
HPS2500	12135054	CLASS H PROFESSIONAL AMPLIFIER 2 x 1100W RMS 4 OHM		£765.00
DPS3000	12135053	CLASS HD PROFESSIONAL AMPLIFIER 2 x 1700W RMS 2 OHM		£1148.00

Prices shown are for single units unless otherwise stated.09

UK Sales Support Office Prices Valid from May 2010

General Accessories

Product	Code	Description	Colour	List Price Ex.VAT
AC SS260	13360035	STEEL FLOOR SPEAKER STAND (MAX LOAD 60 KG)		£81.00
AC SS140	13360036	ALUMINIUM FLOOR SPEAKER STAND (MAX LOAD 40 KG)		£71.00
AC PMA	13360034	SPEAKER POLE MOUNT (SUITABLE FOR ART AND 4PRO SERIES)		£30.00
AC EB4X	AC EB4X	KIT INCLUDING 4 PCS M10 EYE BOLTS		£35.00
AC PRO-FS	13360109	PROFESSIONAL LOUDSPEAKER FLOOR STAND		£170.00
AC PRO-LF	13360111	PROFESSIONAL ADAPTOR SLEEVE FOR LOUDSPEAKER FLOOR STAND		£61.00
AC PRO-PM	13360110	POLE MOUNT ACCESSORY FOR SPEAKER ON A SUBWOOFER		£121.00
AC NL4F	13360033	AC NL4F KIT 4 SPEAKON 4X		£57.00
AC ART GRILL	13360032	FULL GRILL FOR ART 312, 315		£37.00

Prices shown are for single units unless otherwise stated.09

UK Sales Support Office Prices Valid from May 2010

Designed for musicians

The artist needs to concentrate only on his performance and not to have to bother about poor sound on stage or the audience leaving the gig because of a bad sounding PA system.

This is why all our professional audio products are designed to offer musicians real tools to improve their performances. If your on-stage sound is well balanced and your main PA is delivering all the power and definition required by your music, you will play better and deliver a concert people will not forget.

With more than 60 years of audio heritage supporting your show you know your performance is in safe hands.





Professional Passive Loudspeakers

Product	Code	Description	Colour	List Price Ex.VAT						
ART 310	13000075	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£334.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 10inch	1inch Neo	124dB	50Hz-20kHz	90° x70°	1.8kHz	200 W	SPEAKO-N	8 ohm	10kg
AC ART310 H-BR	13360042	HORIZONTAL BRACKET FOR ART310	Black	£77.00						
ART COVER 310	13360044	COVER FOR ART310	Grey	£44.00						
ART 312	13000031	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£430.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 12inch	1inch Neo	126dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	SPEAKO-N	8 ohm	16kg
ART315	13000023	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£478.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	In/Out	Imp.	Weight
	1 x 15inch	1inch Neo	128dB	50Hz-20kHz	90° x60°	1.8kHz	300 W	SPEAKO-N	8 ohm	20kg
ART V-BR	13360010	VERTICAL BRACKET FOR ART 312, 315	Black	£77.00						
ART H-BR	13360011	HORIZONTAL BRACKET FOR ART 312, 315	Black	£77.00						
ART COVER 312	13360043	COVER FOR ART 312, 315	Grey	£46.00						
ART 725	13000219	PASSIVE TWO-WAY SPEAKER	Anthracite Grey	£813.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Dispersion	Cross. Freq.	Power	Imp	In/Out	Weight
	1 x 15inch	2inch	133dB	55Hz-20kHz	90° x60°	1.4kHz	700 W	8 ohm	Speakon	19kg
AC ART715H-BR	13360105	PAIR - HORIZONTAL BRACKET FOR ART715A & 725A	Black	£156.00						
ART COVER 725	13360115	COVER FOR ART715A & 725A	Black	£77.00						
4PRO 8001S	13000020	PASSIVE - SUBWOOFER	Black	£903.00						
	LF Driver	HF Driver	Max. SPL	Freq. Response	Cross. Freq.	LF Power	IMP	In/Out	Weight	
	1 x 18inch	N/A	134dB	40Hz- Xover point	120Hz	1000 W	8 Ohm	Speakon	50kg	

Prices shown are for single units unless otherwise stated.

UK Sales Support Office Prices Valid from May 2010

Terms & Conditions (abridged)

A full copy of our conditions of sale is available upon request.

Account Approvals: RCF Installed Sound Division Sales in the United Kingdom are made through approved Regional Distributors and Specialist Approved eSystem Integrator Installation companies.

Terms of Payment: Within 30 days from date of invoice for full account customers only. Otherwise sales are directed through our nationwide Regional Distributor and Dealer Network.

Carriage: A carriage charge of £20.00 will be levied on all orders under £750.00 in value. Over £750.00 orders are delivered carriage free. (UK and Ireland). We aim to deliver within 4 working days all orders providing the goods are available within our Central European Warehouse. (Ireland & Northern Ireland 5 working days) Large Pallet Deliveries ñ Please add one extra working day to the delivery time. Otherwise we will provide estimated delivery dates at the time of enquiry. RCF Spa cannot be held responsible for any delays caused by our shipping and freight vendors.

Damage in Transit: Notice of damage or shortage MUST be made within three days of receipt and goods must be returned in original packaging. Failure to notify RCF Spa Shipping Dept. of any damage within this period will void any subsequent claim and any cost incurred may be chargeable.

Returns: No goods will be accepted without prior authorisation. Credit or replacement will only be issued upon satisfactory inspection by RCF Spa shipping dept, or our UK Service Company Organisation. (Goods returned without authorisation will be returned to sender and all carriage charged forward) Our UK Service Organisation will issue eRAi Returns Authorisation procedures and forwarding address details for any service work whether it be for warranty claim or normal product service. To contact our Service Organisation telephone 0844 745 1234 then press Option 2 for Service & Spares..

VAT: RCF Spa can only supply fully VAT registered companies. Goods and Invoices are issued directly from RCF Spa. Italy and therefore are issued VAT exempt.

Prices & Specifications: RCF Spa reserves the right to alter, change or modify prices, terms, product and specifications without prior notification.

RCF UK Sales & Support Office

Po box 2063

tel:- 0844 745 1234

Leigh on Sea

tel International:- +44 (0) 870 626 3142

Essex

fax:- 08700 516893

SS9 5WB

email:- info@rcfaudio.co.uk

United Kingdom

www.rcfaudio.co.uk

